



```
Current Data Parameters
NAME           Mar05-2020
EXPNO           23
PROCNO          1
```

```

F2 - Acquisition Parameters
Date_                20200305
Time                 18.47
INSTRUM              spect
PROBHD               5 mm PABBO BB/
PULPROG              zgpg30
TD                   32768
SOLVENT              CDC13
NS                    320
DS                     4
SWH                  28409.092 Hz
FIDRES               0.866977 Hz
AQ                   0.5767168 sec
RG                   199.33
DW                   17.600 usec
DE                   6.50 usec
TE                   295.7 K
D1                   1.00000000 sec
D11                  0.03000000 sec
TD0                  1

```

```
===== CHANNEL f1 =====
SFO1      100.6414394 MHz
NUC1              13C
P1              9.05 usec
PLW1      60.25600052 W
```

```

===== CHANNEL f2 =====
SFO2      400.2020010 MHz
NUC2      1H
CPDPRG[2] waltz16
PCPD2      90.00 usec
PLW2      19.95299911 W
PLW12     0.33147001 W
PLW13     0.26848999 W

```

```

F2 - Processing parameters
SI                      16384
SF                      100.6303700 MHz
WDW                      EM
SSB                      0
LB                      2.00 Hz
GB                      0
PC                      1.40

```